
Ubuntu QA Dashboard Documentation

Release 2014.10.30+revno765

Andy Doan, Chris Johnston, Joe Talbott

January 19, 2015

1	Installing the Ubuntu QA Dashboard	3
1.1	Vagrant	3
1.2	Grab the source	3
1.3	Setting up Vagrant	3
1.4	Run the Server	4
1.5	Testing	4
2	Indices and tables	5

Contents:

Installing the Ubuntu QA Dashboard

Before you start hacking on the dashboard, you need to first setup your environment. There are a few different ways to do this.

1.1 Vagrant

1.1.1 Requirements

To get started, you'll need:

- Vagrant

```
sudo apt-get install vagrant
```

1.2 Grab the source

Create the bzr environment for the dashboard with:

```
bzr branch lp:qa-dashboard  
cd qa-dashboard
```

1.3 Setting up Vagrant

Now we're ready to go, so create an environment for the dashboard:

```
vagrant up
```

That creates a clean environment using vagrant.

After Vagrant finishes setting up, you need to ssh into it:

```
vagrant ssh
```

1.3.1 Start developing

From inside the vagrant environment, you need to go to where the branch is:

```
cd dash
```

You can now work on the dashboard as you would with any other django site.

Vagrant takes care of all of the setup work. You will have a database that is pre-populated with data. Depending on how old the snapshot of the database is, you may need to update the migrations:

```
python manage.py migrate
```

1.4 Run the Server

Now all you need to do is run the server:

```
python manage.py runserver 0.0.0.0:8000
```

1.5 Testing

The quick way to run the dashboard's tests:

```
./manage.py test
```

Make sure to write tests for all new code your write and all the tests pass.

Indices and tables

- *genindex*
- *modindex*
- *search*